Eng. Appl. Sci. Lett., Vol. 1(2018), No. 1, pp. 23 - 28

Website: https://pisrt.org/psr-press/journals/easl/ ISSN: 2617-9709 (Online) 2617-9695 (Print) http://dx.doi.org/10.30538/psrp-easl2018.0004

ON GRAPH INVARIANTS OF OXIDE NETWORK

MUHAMMAD IMRAN, ASIMA ASGHAR, ABDUL QUDAIR BAIG¹

ABSTRACT. The application of graph theory in chemical and molecular structure research far exceeds people's expectations, and it has recently grown exponentially. In the molecular graph, atoms are represented by vertices and bonded by edges. In this report, we study the several Zagreb polynomials and Redefined Zagreb indices of Oxide Network.

Index Terms: Zagreb index; Randić index; polynomial; degree; graph.

1. Introduction

Many studies have shown that there is a strong intrinsic link between the chemical properties of chemical compounds and drugs (such as boiling point and melting point) and their molecular structure. The topological index defined on the structure of these chemical molecules can help researchers better understand the physical characteristics, chemical reactivity and biological activity. Therefore, the study of topological indices of chemical substances and chemical structures of drugs can make up for the lack of chemical experiments and provide theoretical basis for the preparation of drugs and chemical substances. In the past two decades, a large number of graph invariants (topological indices) have been defined and used for correlation analysis in theoretical chemistry, pharmacology, toxicology and environmental chemistry.

The first and second Zagreb indices are one of the oldest and most well-known topological indices defined by Gutman in 1972 and are given different names in the literature, such as the Zagreb group index, Sag. Loeb group parameters and

Received 01-09-2018. Revised 20-10-2018. Accepted 30-10-2018.

¹ Corresponding Author

^{© 2018} Muhammad Imran, Asima Asghar, Abdul Qudair Baig. This is an open access article distributed under the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

the most common Zagreb index. The Zagreb index is one of the first indices introduced and has been used to study molecular complexity, chirality, ZE isomers and heterogeneous systems. The Zagreb index shows the potential applicability of deriving multiple linear regression models. The first and the second Zagreb indices [1] are defined as

$$M_1(G) = \prod_{u \in E(G)} (d_u + d_v),$$

$$M_2(G) = \prod_{uv \in E(G)} d_u \times d_u,$$

For details see [2]. Considering the Zagreb indices, Fath-Tabar ([3]) defined first and the second Zagreb polynomials as

$$M_1(G,x) = \sum_{uv \in E(G)} x^{d_u + d_v},$$

and

$$M_2(G, x) = \sum_{uv \in E(G)} x^{d_u \cdot d_v}.$$

The properties of $M_1(G, x)$ and $M_1(G, x)$ for some chemical structures have been studied in the literature [4, 5]. After that, in [6], the authors defined the third Zagreb index

$$M_3(G) = \sum_{uv \in E(G)} (d_u - d_v),$$

and the polynomial

$$M_3(G,x) = \sum_{uv \in E(G)} x^{d_u - d_v}.$$

In the year 2016, [7] following Zagreb type polynomials were defined

$$M_4(G, x) = \sum_{uv \in E(G)} x^{d_u(d_u + d_v)},$$

$$M_5(G, x) = \sum_{uv \in E(G)} x^{d_v(d_u + d_v)},$$

$$M_{a,b}(G, x) = \sum_{uv \in E(G)} x^{ad_u + bd_v},$$

$$M'_{a,b}(G, x) = \sum_{uv \in E(G)} x^{(d_u + a)(d_v + b)}.$$

Ranjini $et\ al.$ [8] redefined the Zagreb indices, i.e, the redefined first, second and third Zagreb indices of graph G. These indicators appear as

$$ReZG_1(G) = \sum_{uv \in E(G)} \frac{d_u + d_v}{d_u d_v},$$

$$ReZG_2(G) = \sum_{uv \in E(G)} \frac{d_u.d_v}{d_u + d_v},$$

and

$$ReZG_3(G) = \sum_{uv \in E(G)} (d_u + d_v)(d_u.d_v).$$

For details about topological indices and its applications we refer [9, 10, 11, 12, 13, 14, 15, 16, 17]. In this paper we aim to compute Zagreb polynomials and redefined Zagreb indices of Oxide networks shown in Figure 1.

2. Main Results

In this section we give our main computational results.




Figure 1. Oxide network.

In this section, we present our computational results.

Theorem 2.1. Let OX_n be the Oxide network. Then

- (1) $M_3(OX_n, x) = 12nx^2 + (18n^2 12),$

- (1) $M_3(OX_n, x) = 12nx + (10n 12),$ (2) $M_4(OX_n, x) = 12nx^{12} + (18n^2 12)x^{32},$ (3) $M_5(OX_n, x) = 12nx^{24} + (18n^2 12)x^{32},$ (4) $M_{a,b}(OX_n, x) = 12nx^{2a+4b} + (18n^2 12)x^{4(a+b)},$ (5) $M'_{a,b}(OX_n, x) = 12nx^{(2+a)(4+b)} + (18n^2 12)x^{(4+a)(4+b)}.$

Proof. Let OX_n be the oxide network. It is clear that OX_n has two partitions of vertex set i.e, $V_1 = \{v \in V(OX_n) : d_v = 2\}$ and $V_2 = \{v \in V(OX_n) : d_v = 4\}$. The edge set of OX_n has following two partitions,

$$E_1 = E_{2,4} = \{e = uv \in E(OX_n) : d_u = 2, d_v = 4\},$$

$$E_1 = E_{4,4} = \{e = uv \in E(OX_n) : d_u = 4, d_v = 4\}.$$

Such that

$$|E_1(OX_n)| = 12n,$$

 $|E_2(OX_n)| = 18n^2 - 12n.$

(5)

(1)

$$M_3(OX_n, x) = \sum_{uv \in E(G)} x^{d_u - d_v}$$

$$= \sum_{uv \in E_1(OX_n)} x^{4-2} + \sum_{uv \in E_2(OX_n)} x^{4-4}$$

$$= |E_2(OX_n)| x^2 + |E_2(OX_n)|$$

$$= 12nx^2 + (18n^2 - 12n).$$

(2)

$$M_4(OX_n, x) = \sum_{uv \in E(OX_n)} x^{d_u(d_u + d_v)}$$

$$= \sum_{uv \in E_1(OX_n)} x^{2(2+4)} + \sum_{uv \in E_2(OX_n)} x^{4(4+4)}$$

$$= |E_2(OX_n)| x^{12} + |E_2(OX_n)| x^{32}$$

$$= 12nx^{12} + (18n^2 - 12n) x^{32}.$$

(3)

$$M_5(OX_n, x) = \sum_{uv \in E(OX_n)} x^{d_v(d_u + d_v)}$$

$$= \sum_{uv \in E_1(OX_n)} x^{4(2+4)} + \sum_{uv \in E_2(OX_n)} x^{4(4+4)}$$

$$= |E_2(OX_n)| x^{24} + |E_2(OX_n)| x^{32}$$

$$= 12nx^{24s} + (18n^2 - 12n) |x^{32}|.$$

(4)

$$M_{a,b}(OX_n, x) = \sum_{uv \in E(OX_n)} x^{ad_u + bd_v}$$

$$= \sum_{uv \in E_1(OX_n)} x^{2a+4b} + \sum_{uv \in E_2(OX_n)} x^{2a+4b}$$

$$= |E_2(OX_n)| x^{2a+4b} + |E_2(OX_n)| x^{2a+4b}$$

$$= 12nx^{(2a+4b)} + (18n^2 - 12n) x^{4(a+b)}.$$

$$M'_{a,b}(OX_n, x) = \sum_{uv \in E(OX_n)} x^{(d_u+a)(d_v+b)}$$

$$= \sum_{uv \in E_1(OX_n)} x^{(2+a)(4+b)} + \sum_{uv \in E_2(OX_n)} x^{(4+a)(4+b)}$$

$$= |E_2(OX_n)| |x^{(2+a)(4+b)} + |E_2(OX_n)| |x^{(4+a)(4+b)}$$

$$= 12nx^{(2+a)(4+b)} + (18n^2 - 12n)x^{(4+a)(4+b)}.$$

Theorem 2.2. Let OX_n be the Oxide network. Then,

- (1) $ReZG_1(OX_n) = 9n^2 + 3n$,
- (2) $ReZG_2(OX_n) = 36n^2 8n$,
- (3) $ReZG_3(OX_n) = 2304n^2 960n$.

Proof. (1)

$$ReZG_1(OX_n) = \sum_{uv \in E(OX_n)} \frac{d_u + d_v}{d_u d_v}$$
$$= \frac{3}{4}(12n) + \frac{1}{2}(18n^2 - 12n)$$
$$= 9n^2 - 3n.$$

(2)

$$ReZG_2(OX_n) = \sum_{uv \in E(OX_n)} \frac{d_u \cdot d_v}{d_u + d_v}$$
$$= \frac{4}{3}(12n) + 2(18n^2 - 12n)$$
$$= 36n^2 - 8n.$$

(3)

$$ReZG_3(OX_n) = \sum_{uv \in E(OX_n)} (d_u + d_v)(d_u \cdot d_v)$$
$$= 48(12n) + 128(18n^2 - 12n)$$
$$= 2304n^2 - 960n.$$

Competing Interests

The authors declare that they have no competing interests.

References

- Das, K. C., Xu, K., & Nam, J. (2015). Zagreb indices of graphs. Frontiers of Mathematics in China, 10(3), 567-582.
- Gutman, I., & Das, K. C. (2004). The first Zagreb index 30 years after. MATCH Commun. Math. Comput. Chem, 50(1), 83-92.
- 3. Fath-Tabar, G. H. (2011). Old and new Zagreb indices of graphs. MATCH Commun. Math. Comput. Chem, 65(1), 79-84.
- Ranjini, P. S., Lokesha, V., Bindusree, A. R., & Raju, M. P. (2012). New bounds on Zagreb indices and the Zagreb co-indices. *Boletim da Sociedade Paranaense de Matemática*, 31(1), 51-55.

- 5. Fath-Tabar, G. (2009). Zagreb Polynomial and Pi Indices of some Nano Structures. *Digest Journal of Nanomaterials and Biostructures* (DJNB), 4(1), 189-191.
- Bindusree, A. R., Cangul, I. N., Lokesha, V., & Cevik, A. S. (2016). Zagreb polynomials of three graph operators. Filomat, 30(7), 1979-1986.
- 7. Ranjini, P. S., Lokesha, V., & Usha, A. (2013). Relation between phenylene and hexagonal squeeze using harmonic index. *International Journal of Graph Theory*, 1(4), 116-121.
- 8. Alaeiyan, M., Farahani, M. R., & Jamil, M. K. (2016). Computation of the fifth geometric-arithmetic index for polycyclic aromatic hydrocarbons pahk. *Applied Mathematics and Nonlinear Sciences*, 1(1), 283-290.
- Jamil, M. K., Farahani, M. R., Imran, M., & Malik, M. A. (2016). Computing eccentric version of second zagreb index of polycyclic aromatic hydrocarbons pahkpahk. Applied Mathematics and Nonlinear Sciences, 1(1), 247-252.
- Zali, M. R., Jamil, M. K., & Imran, M. (2016). Vertex PIv Topological Index of Titania Carbon Nanotubes TiO2(m, n). Applied Mathematics and Nonlinear Sciences, 1(1), 170-176
- Gao, W., & Zali, M. R. (2016). Degree-based indices computation for special chemical molecular structures using edge dividing method. Applied Mathematics and Nonlinear Sciences, 1(1), 94-117.
- Basavanagoud, B., Gao, W., Patil, S., Desai, V. R., Mirajkar, K. G., & Balani, P. (2017).
 Computing First Zagreb index and F-index of New C-products of Graphs. Applied Mathematics and Nonlinear Sciences, 2(1), 285-298.
- 13. Lokesha, V., Deepika, T., Ranjini, P. S., & Cangul, I. N. (2017). Operations of nanostructures via SDD, ABC_4 and GA_5 indices. Applied Mathematics and Nonlinear Sciences, 2(1), 173-180.
- Hosamani, S. M., Kulkarni, B. B., Boli, R. G., & Gadag, V. M. (2017). QSPR analysis of certain graph theocratical matrices and their corresponding energy. Applied Mathematics and Nonlinear Sciences, 2(1), 131-150.
- Sardar, M. S., Zafar, S., & Zahid, Z. (2017). Computing topological indices of the line graphs of Banana tree graph and Firecracker graph. Applied Mathematics and Nonlinear Sciences, 2(1), 83-92.
- 16. Basavanagoud, B., Desai, V. R., & Patil, S. (2017). (β, α) Connectivity Index of Graphs. Applied Mathematics and Nonlinear Sciences, 2(1), 21-30.
- Ramane, H. S., & Jummannaver, R. B. (2016). Note on forgotten topological index of chemical structure in drugs. Applied Mathematics and Nonlinear Sciences, 1(2), 369-374.

Muhammad Imran

Department of Mathematical Sciences, United Arab Emirates University, Al Ain, P.O. Box 15551, UAE.

e-mail: imrandhab@gmail.com

Asima Asghar

Department of Mathematics, The University of Lahore, Pakpattan Campus, Pakpattan 57400, Pakistan.

e-mail: asimaasghar1234@gmail.com

Abdul Qudair Baig

Department of Mathematics, The University of Lahore, Pakpattan Campus, Pakpattan 57400, Pakistan.

e-mail: aqbaig1@gmail.com